

VB下拉式功能表應用

資科系
林偉川

VB6工具/功能表編輯器



VB6工具/功能表編輯器



- Word之大綱模式



- 新增、往下、刪除功能選項
- 物件名稱.Checked = True
 - 表示點選該功能選項
- 物件名稱.Checked = False
 - 表示未點選該功能選項

3

VB6程式部分

```
Private Sub Form_Load()  
L1.Caption = "test"  
L1.FontSize = 12  
Bold.Checked = False  
Italic.Checked = False  
Underline.Checked = False  
black.Checked = True  
Normal.Checked = True  
End Sub
```

4

VB6程式部分

```
Private Sub black_Click()  
L1.ForeColor = QBColor(0)  
black.Checked = True  
black.Checked = False  
red.Checked = False  
green.Checked = False  
white.Checked = False  
blue.Checked = False  
End Sub
```

5

VB6程式部分

```
Private Sub blue_Click()  
L1.ForeColor = QBColor(9)  
blue.Checked = True  
black.Checked = False  
red.Checked = False  
black.Checked = False  
white.Checked = False  
green.Checked = False  
End Sub
```

6

VB6程式部分

```
Private Sub green_Click()  
L1.ForeColor = QBColor(10)  
green.Checked = True  
black.Checked = False  
red.Checked = False  
black.Checked = False  
white.Checked = False  
blue.Checked = False  
End Sub
```

7

VB6程式部分

```
Private Sub red_Click()  
L1.ForeColor = QBColor(12)  
red.Checked = True  
black.Checked = False  
blue.Checked = False  
black.Checked = False  
white.Checked = False  
green.Checked = False  
End Sub
```

8

VB6程式部分

```
Private Sub Bold_Click()  
Bold.Checked = Not Bold.Checked  
If Bold.Checked Then  
    L1.Font.Bold = True  
Else  
    L1.Font.Bold = False  
End If  
End Sub
```

9

VB6程式部分

```
Private Sub Italic_Click()  
Italic.Checked = Not Italic.Checked  
If Italic.Checked Then  
    L1.Font.Italic = True  
Else  
    L1.Font.Italic = False  
End If  
End Sub
```


10

VB6程式部分

```
Private Sub Underline_Click()  
Underline.Checked = Not Underline.Checked  
If Underline.Checked Then  
    L1.Font.Underline = True  
Else  
    L1.Font.Underline = False  
End If  
End Sub
```

11

功能表畫面(VB6)



12

VB.NET

- 使用工具箱物件
 - MainMenu控制項(主選單控制項)
 - FontDialog控制項(字型對話視窗)
 - ColorDialog控制項(顏色對話視窗)

13

VB.NET程式部分

```
Private Sub MExit_Click(ByVal sender As System.Object,  
    ByVal e As System.EventArgs) Handles MExit.Click  
    End  
End Sub
```

```
Private Sub MU2L_Click(ByVal sender As System.Object,  
    ByVal e As System.EventArgs) Handles MU2L.Click  
    L1.Text = LCase(L1.Text)  
    MU2L.Checked = True  
    ML2U.Checked = False  
End Sub
```

14

VB.NET程式部分

```
Private Sub ML2U_Click(ByVal sender As Object,  
    ByVal e As System.EventArgs) Handles  
    ML2U.Click  
    L1.Text = UCase(L1.Text)  
    ML2U.Checked = True  
    MU2L.Checked = False  
End Sub
```

15

VB.NET程式部分

```
Private Sub MRed_Click(ByVal sender As Object,  
    ByVal e As System.EventArgs) Handles  
    MRed.Click  
    Me.ForeColor = Color.Red  
    MRed.Checked = True  
    MGreen.Checked = False  
    MBlue.Checked = False  
End Sub
```

16

VB.NET程式部分

```
Private Sub MGreen_Click(ByVal sender As  
Object, ByVal e As System.EventArgs) Handles  
MGreen.Click
```

```
    Me.ForeColor = Color.Green
```

```
    MRed.Checked = False
```

```
    MGreen.Checked = True
```

```
    MBlue.Checked = False
```

```
End Sub
```

17

VB.NET程式部分

- Private Sub MBlue_Click(ByVal sender As
Object, ByVal e As System.EventArgs) Handles
MBlue.Click

```
    Me.ForeColor = Color.Blue
```

```
    MRed.Checked = False
```

```
    MGreen.Checked = False
```

```
    MBlue.Checked = True
```

```
End Sub
```

18

VB.NET程式部分

```
Private Sub MFont_Click(ByVal sender As Object, ByVal  
    e As System.EventArgs) Handles MFont.Click  
    Mfore.Checked = False  
    MBack.Checked = False  
    MFont.Checked = True  
    FD1.ShowColor = True  
    If FD1.ShowDialog() = DialogResult.OK Then  
        L1.Font = FD1.Font  
    end if  
End Sub
```

19

VB.NET程式部分

```
Private Sub Mfore_Click(ByVal sender As Object, ByVal  
    e As System.EventArgs) Handles Mfore.Click  
    Mfore.Checked = True  
    MBack.Checked = False  
    MFont.Checked = False  
    CD1.Color = L1.ForeColor  
    CD1.AllowFullOpen = True  
    CD1.ShowHelp = True  
    If CD1.ShowDialog() = DialogResult.OK Then  
        L1.ForeColor = CD1.Color  
    end if  
End Sub
```


20

VB.NET程式部分

```
Private Sub MBack_Click(ByVal sender As Object, ByVal  
    e As System.EventArgs) Handles MBack.Click  
    Mfore.Checked = False  
    MBack.Checked = True  
    MFont.Checked = False  
    CD1.Color = L1.BackColor  
    If CD1.ShowDialog() = DialogResult.OK Then  
        L1.BackColor = CD1.Color  
    end if  
End Sub
```


21

VB.NET 結果畫面



22

主選單控制項



23

VB.NET程式部分

```
Private Sub Form1_Load(ByVal sender As  
    System.Object, ByVal e As System.EventArgs)  
    Handles MyBase.Load  
        L1.Font = New Font("Arial", 18,  
            FontStyle.Regular)  
        M2.Checked = False: M3.Checked = False  
        M4.Checked = False: M8.Checked = False  
        M9.Checked = False: M10.Checked = False  
        M6.Checked = False  
    End Sub
```

24

VB.NET程式部分

```
Private Sub M2_Click(ByVal sender As Object,  
    ByVal e As System.EventArgs) Handles  
    M2.Click
```

```
    M2.Checked = Not M2.Checked
```

```
    Dim b, i, u As Integer
```

```
    If M2.Checked Then b = 1 Else b = 0
```

```
    If M3.Checked Then i = 1 Else i = 0
```

```
    If M4.Checked Then u = 1 Else u = 0
```

25

VB.NET程式部分

```
If b = 1 And i = 1 And u = 1 Then
```

```
    L1.Font = New Font("Arial", 18, FontStyle.Bold Or FontStyle.Italic Or  
        FontStyle.Underline)
```

```
ElseIf b = 1 And i = 1 Then
```

```
    L1.Font = New Font("Arial", 18, FontStyle.Bold Or FontStyle.Italic)
```

```
ElseIf b = 1 And u = 1 Then
```

```
    L1.Font = New Font("Arial", 18, FontStyle.Bold Or FontStyle.Underline)
```

```
ElseIf u = 1 And i = 1 Then
```

```
    L1.Font = New Font("Arial", 18, FontStyle.Italic Or FontStyle.Underline)
```

```
ElseIf b = 1 Then
```

```
    L1.Font = New Font("Arial", 18, FontStyle.Bold)
```

```
ElseIf i = 1 Then L1.Font = New Font("Arial", 18, FontStyle.Italic)
```

```
ElseIf u = 1 Then L1.Font = New Font("Arial", 18, FontStyle.Underline)
```

```
Else
```

```
    L1.Font = New Font("Arial", 18, FontStyle.Regular)
```

```
End If
```

```
End Sub
```

26

VB.NET程式部分

```
Private Sub M3_Click(ByVal sender As Object,  
    ByVal e As System.EventArgs) Handles  
    M3.Click
```

```
    M3.Checked = Not M3.Checked
```

```
    Dim b, i, u As Integer
```

```
    If M2.Checked Then b = 1 Else b = 0
```

```
    If M3.Checked Then i = 1 Else i = 0
```

```
    If M4.Checked Then u = 1 Else u = 0
```

27

VB.NET程式部分

```
If b = 1 And i = 1 And u = 1 Then
```

```
    L1.Font = New Font("Arial", 18, FontStyle.Bold Or FontStyle.Italic Or  
        FontStyle.Underline)
```

```
ElseIf b = 1 And i = 1 Then
```

```
    L1.Font = New Font("Arial", 18, FontStyle.Bold Or FontStyle.Italic)
```

```
ElseIf b = 1 And u = 1 Then
```

```
    L1.Font = New Font("Arial", 18, FontStyle.Bold Or FontStyle.Underline)
```

```
ElseIf u = 1 And i = 1 Then
```

```
    L1.Font = New Font("Arial", 18, FontStyle.Italic Or FontStyle.Underline)
```

```
ElseIf b = 1 Then
```

```
    L1.Font = New Font("Arial", 18, FontStyle.Bold)
```

```
ElseIf i = 1 Then L1.Font = New Font("Arial", 18, FontStyle.Italic)
```

```
ElseIf u = 1 Then L1.Font = New Font("Arial", 18, FontStyle.Underline)
```

```
Else
```

```
    L1.Font = New Font("Arial", 18, FontStyle.Regular)
```

```
End If
```

```
End Sub
```

28

VB.NET程式部分

```
Private Sub M4_Click(ByVal sender As Object,  
    ByVal e As System.EventArgs) Handles  
    M4.Click
```

```
    M4.Checked = Not M4.Checked
```

```
    Dim b, i, u As Integer
```

```
    If M2.Checked Then b = 1 Else b = 0
```

```
    If M3.Checked Then i = 1 Else i = 0
```

```
    If M4.Checked Then u = 1 Else u = 0
```

29

VB.NET程式部分

```
If b = 1 And i = 1 And u = 1 Then
```

```
    L1.Font = New Font("Arial", 18, FontStyle.Bold Or FontStyle.Italic Or  
        FontStyle.Underline)
```

```
ElseIf b = 1 And i = 1 Then
```

```
    L1.Font = New Font("Arial", 18, FontStyle.Bold Or FontStyle.Italic)
```

```
ElseIf b = 1 And u = 1 Then
```

```
    L1.Font = New Font("Arial", 18, FontStyle.Bold Or FontStyle.Underline)
```

```
ElseIf u = 1 And i = 1 Then
```

```
    L1.Font = New Font("Arial", 18, FontStyle.Italic Or FontStyle.Underline)
```

```
ElseIf b = 1 Then
```

```
    L1.Font = New Font("Arial", 18, FontStyle.Bold)
```

```
ElseIf i = 1 Then L1.Font = New Font("Arial", 18, FontStyle.Italic)
```

```
ElseIf u = 1 Then L1.Font = New Font("Arial", 18, FontStyle.Underline)
```

```
Else
```

```
    L1.Font = New Font("Arial", 18, FontStyle.Regular)
```

```
End If
```

```
End Sub
```

30

VB.NET程式部分

```
Private Sub M6_Click(ByVal sender As Object, ByVal e  
    As System.EventArgs) Handles M6.Click  
    End  
End Sub
```

```
Private Sub M8_Click(ByVal sender As Object, ByVal  
    e As System.EventArgs) Handles M8.Click  
    M8.Checked = Not M8.Checked  
    M9.Checked = False  
    M10.Checked = False  
    If M8.Checked Then
```

31

VB.NET程式部分

```
    L1.ForeColor = Color.Red  
Else  
    L1.ForeColor = Color.Black  
End If  
End Sub
```

```
Private Sub M9_Click(ByVal sender As Object, ByVal  
    e As System.EventArgs) Handles M9.Click  
    M9.Checked = Not M9.Checked  
    M8.Checked = False
```

32

VB.NET程式部分

```
M10.Checked = False
If M9.Checked Then
    L1.ForeColor = Color.Green
Else
    L1.ForeColor = Color.Black
End If
End Sub
```

33

VB.NET程式部分

```
Private Sub M10_Click(ByVal sender As Object, ByVal e
As System.EventArgs) Handles M10.Click
    M10.Checked = Not M10.Checked
    M9.Checked = False
    M8.Checked = False
    If M8.Checked Then
        L1.ForeColor = Color.Blue
    Else
        L1.ForeColor = Color.Black
    End If
End Sub
```

34